



SEQUENCE LISTING

<110> NIELSEN, Fredrik

<120> SCREENING ASSAY

<130> 12578/46202

<140> 10/798,097

<141> 2004-03-11

<150> 60/454,229

<151> 2003-03-12

<160> 19

<170> PatentIn version 3.3

<210> 1

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>

<221> MOD\_RES

<222> (1)..(1)

<223> Xaa is biotin-Ser

<220>

<221> MOD\_RES

<222> (5)..(8)

<223> Xaa Xaa Xaa Xaa is Glu Asp Phe Arg, Glu Pro Glu Arg, His Pro Asp  
Lys, Leu Gln Ser Lys, Pro Glu Glu Lys, Trp Asp Ser Arg, or Tyr  
Leu Asp Lys.

<400> 1

Xaa Gly Ser Gly Xaa Xaa Xaa Xaa

1

5

<210> 2

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>

<221> MOD\_RES

<222> (1)..(1)

<223> Xaa is biotin-Ser

<400> 2

Xaa Gly Ser Gly Glu Asp Phe Arg  
1 5

<210> 3  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 3

Xaa Gly Ser Gly Glu Pro Glu Arg  
1 5

<210> 4  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 4

Xaa Gly Ser Gly Glu Pro Phe Arg  
1 5

<210> 5  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 5

Xaa Gly Ser Gly His Pro Asp Lys  
1 5

<210> 6  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 6

Xaa Gly Ser Gly Leu Pro Ser Arg  
1 5

<210> 7  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 7

Xaa Gly Ser Gly Leu Gln Ser Lys  
1 5

<210> 8  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 8

Xaa Gly Ser Gly Pro Glu Glu Lys  
1 5

<210> 9  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 9

Xaa Gly Ser Gly Thr Gly Glu Lys  
1 5

<210> 10  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 10

Xaa Gly Ser Gly Trp Asp Ser Arg  
1 5

<210> 11  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 11

Xaa Gly Ser Gly Tyr Leu Asp Lys  
1 5

<210> 12  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules  
  
<400> 12

Ser Gly Ser Gly Ala Ser Ala Lys  
1 5

<210> 13  
<211> 8  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules.  
  
<400> 13

Ser Gly Ser Gly Ala Ser Ala Arg  
1 5

<210> 14  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 14

Xaa Gly Ser Gly Leu Tyr Glu Ile Ala Arg  
1 5 10

<210> 15  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 15

Xaa Gly Ser Gly Asp Phe Ala Glu Asp Lys  
1 5 10

<210> 16  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 16

Xaa Gly Ser Gly Leu Thr Glu Phe Ala Lys  
1 5 10

<210> 17  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 17

Xaa Gly Ser Gly Thr Glu Glu Gln Leu Lys  
1 5 10

<210> 18  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Peptide used as catcher agent when isolating Fv(scFv) molecules

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Ser

<400> 18

Xaa Gly Ser Gly Ser Ser Ala Tyr Ser Arg  
1 5 10

<210> 19  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Irrelevant biotinylated peptide

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> Xaa is biotin-Gly

<400> 19

Xaa Ile Val Lys Tyr Leu Tyr Glu Asp Glu Gly  
1 5 10